

Literaturverzeichnis

1. Alizadeh, F. (1991): A sublinear-time randomized parallel algorithm for the maximum clique problem in perfect graphs. Proceedings of the second ACM-SIAM Symposium on Discrete Algorithms
2. Alizadeh, F. (1995): Interior point methods in semidefinite programming with applications to combinatorial optimization. SIAM J. Opt., **5**(1), 13–51
3. Alizadeh, F., Haeberly, J.-P.A., Overton, M.L. (1994): A new primal-dual interior-point method for semidefinite programming. In J.G. Lewis, ed., Proc. Fifth SIAM Conf. on Applied Linear Algebra, SIAM, Philadelphia, 113–117
4. Allgower, E.L., Georg, K. (1990): Numerical Continuation Methods, Springer Series in Computational Mathematics 13, Springer, Berlin
5. Andersen, E.D., Ye, Y.Y. (1996): A computational study of the homogeneous algorithm for large-scale convex optimization. Publications from Department of Management no. 3/1996, Odense University, Denmark
6. Ando, T. (1979): Concavity of certain maps and positive definite matrices and applications to Hadamard products. Linear Algebra Appl., **26**, 203–241
7. Anstreicher, K. (1996): Large Step Volumetric Potential Reduction Algorithms for Linear Programming. Annals of Oper. Res. **62**, 521–538
8. Barnes, E.R., Hoffman, A.J. (1984): Partitioning, spectra and linear programming. Progress in Combinatorial Optimization, R.W. Pulleyblank ed., Academic Press, 13–25.
9. Ben-Tal, A., Bendsoe, M.P. (1993): A new method for optimal truss topology design. SIAM J. Opt., **3**, 322–358
10. Ben-Tal, A., Nemirovski, A. (1998): On polyhedral approximations of the second-order cone. Research Report Nr. 3/98, Optimization Laboratory, Faculty of Industrial Engineering and Management, Technion – Israel Institute of Technology, Technion City, Haifa 32000, Israel, to appear in MOR
11. Björck, A. (1996): Numerical Methods for Least Squares Problems. SIAM, Philadelphia
12. Blum, E., Oettli, W. (1975): Mathematische Optimierung: Grundlagen und Verfahren. Springer, Berlin
13. Boggs, P.T., Tolle, J.W. (1995): Sequential Quadratic Programming. Acta Numerica, **4**, 1–51
14. Bonnans, J.F., Gonzaga, C.C. (1994): Convergence of interior-point algorithms for the monotone linear complementarity problem. Technical Report, INRIA, Rocquencourt, France
15. Borgwardt, K.H. (2001): Optimierung, Operations Research und Spieltheorie, Birkhäuser-Verlag
16. Boyd, S., El Ghaoui, L., Feron, E., Balakrishnan, V. (1994): Linear Matrix Inequalities in System and Control Theory. SIAM, Philadelphia

17. Brent, R. (1973): Algorithms for minimization without derivatives. Prentice Hall
18. Collatz, L., Wetterling, W. (1971): Optimierungsaufgaben, 2. Aufl. Springer, Berlin (Heidelberger Taschenbücher; 15)
19. Conn, A.R., Gould, N., Sartenaer, A., Toint, P.L., (1996): Convergence properties of an augmented lagrangian algorithm for optimization with a combination of general equality and nonlinear constraints. *SIAM J. Opt.*, **6**, 674–703
20. Conn A.R., Gould N.I.M., Toint Ph.L., (1991): A globally convergent augmented Lagrangian algorithm for optimization with general constraints and simple bounds. *SIAM J. Numerical Anal.*, **28**, 545–572
21. Conn, A.R., Gould, N.I.M., Toint, P.L. (1992): LANCELOT: a Fortran package for large-scale nonlinear optimization (Release A). Computational Mathematics, Springer, Berlin
22. Cook, W.J., Cunningham, W.H., Pulleyblank, W.R., Schrijver, A. (1998): Combinatorial Optimization, John Wiley, New York
23. Correa, R., Ramírez C., H. (2002): A global algorithm for nonlinear semidefinite programming. Research Report 4672, INRIA, Rocquencourt, France
24. Dantzig, G.B. (1966): Lineare Programmierung und Erweiterungen. Springer, Berlin
25. den Hertog, D., Jarre, F., Roos, C., Terlaky, T. (1995): A Sufficient Condition for Self-Concordance, with Application to Some Classes of Structured Convex Programming Problems. *Math. Prog., Series B*, **69**(1), 75–88
26. den Hertog, D., Roos, C. (1989): A survey of search directions in interior-point methods for linear programming. Report 89-65, Delft University of Technology, The Netherlands
27. Deuflhard, P., Hohmann, A., (1993): Numerische Mathematik I, 2., überarbeitete Auflage. Walter de Gruyter, Berlin, New York
28. Dieudonné, J. (1960): Foundations of Modern Analysis, Vol I. Academic Press, New York, London
29. Donath, W.E., Hoffman, A.J. (1973): Lower bounds for the partitioning of graphs. *IBM Journal of Research and Development* **17** (5), 420–425
30. Fares, B., Apkarian, P., Noll, D. (2001): An Augmented Lagrangian Method for a Class of LMI-Constrained Problems in Robust Control Theory. *International Journal of Control*, **74** (4), 348–360
31. Fares, B., Noll, D., Apkarian, P. (2002): Robust Control via Sequential Semidefinite Programming. *SIAM Journal on Control and Optimization*. **40** (6), 1791–1820
32. Fiacco, A.V., McCormick, G.P. (1968): Nonlinear Programming: Sequential Unconstrained Minimization Techniques. Wiley, New York
33. Fletcher, R. (1980): Unconstrained optimization. Addison Wesley
34. Fletcher, R. (1981): Constrained optimization. Addison Wesley
35. Fletcher, R. (1987): Practical methods of optimization, 2nd edition. John Wiley, Chichester
36. Fletcher, R., Leyffer, S. (1997): Nonlinear programming without a penalty function. *Numerical Analysis Report NA/171* University of Dundee, Dundee, UK, revised 2000
37. Fletcher, R., Leyffer, S., Toint, P. (2000): On the global convergence of a filter-SQP algorithm. *Numerical Analysis Report NA/197* University of Dundee, Dundee, UK

38. Forsgren, A. (2000): Optimality conditions for nonconvex semidefinite programming. *Math. Prog., Series A*, **88**, 105–128.
39. Freund, R.M., Epelman, M., (2000): Condition Number Complexity of an Elementary Algorithm for Computing a Reliable Solution of a Conic Linear System. *Math. Prog., Series A*, **88** (3), 451–485.
40. Freund, R.W. (2003): Optimal pump control of broadband Raman amplifiers via linear programming. Manuscript, Lucent Bell Laboratories, Murray Hill, NJ, USA
41. Freund, R.W., Jarre, F. (1997): A QMR-Based Interior-Point Algorithm for Solving Linear Programs. *Math. Prog., Series B*, **76**, 183–210
42. Freund, R.W., Jarre, F. (2001): Solving the Sum-of-ratios problem by an Interior-Point Method. *J. of Global Opt.*, **19**, 83–102
43. Freund, R.W., Jarre, F. (2000): An Extension of the Positive Real Lemma to Descriptor Systems. Report 00/3-09, Scientific Computing Interest Group, Bell Labs, Lucent Technologies
44. Fujie, T., Kojima, M. (1997): Semidefinite programming relaxation for non-convex quadratic programs. *Journal of Global Opt.*, **10**, 367–380
45. Garey, M.R., Johnson, D.S. (1979): Computers and Intractability: A Guide to the Theory of \mathcal{NP} -Completeness. Freeman, San Francisco
46. Gass, S.I. (1975): Linear Programming, Methods and Applications. McGraw-Hill, New York
47. Geiger, C., Kanzow, C. (1999): Numerische Verfahren zur Loesung unrestrin-gierter Minimierungsaufgaben. Springer, Berlin
48. Geiger, C., Kanzow, C. (1999): Theorie und Numerik restringierter Optimie-rungsaufgaben. Springer, Berlin
49. Gill, P., Murray, W., Wright, M. (1981): Practical Optimization. Academic Press
50. Glineur, F. (2001): Computational experiments with a linear approximation of second-order cone optimization. Technical Report 0001, Faculte Polytechnique de Mons, Frankreich.
51. Goemans, M.X. Williamson, D.P. (1995): Improved Approximation Algorithms for Maximum Cut and Satisfiability Problems Using Semidefinite Programming. *J. ACM*, **42**, 1115–1145
52. Goldfarb, D., Idnani, A. (1983): A numerical stable dual method for solving strictly convex quadratic programs. *Math. Progr.*, **27**, 1–33
53. Goldman, A.J., Tucker, A.W. (1956): Theory of Linear Programming, H.W. Kuhn und A.W. Tucker eds, Linear Inequalities and related Systems, Annals of Mathematical Studies, **38**, 53–97 North-Holland, Amsterdam
54. Golub, G.H., Van Loan, C.F. (1989) Matrix computations. Baltimore
55. Gondzio, J., Terlaky, T. (1994): A computational view of interior-point meth-ods for linear programming. Report 94-73, Delft University of Technology, The Netherlands
56. Gonzaga, C., Karas, E., Vanti, M. (2002): A globally convergent filter method for nonlinear programming. Technical Report, Dept of Mathematics, Univ. of Santa Catarina, Florianopolis, Brasilien
57. Großmann, C., Terno, J. (1993): Numerik der Optimierung. Teubner, Stuttgart
58. Grötschel, M., Lovasz, L., Schrijver, A. (1988): Geometric Algorithms and Combinatorial Optimization. Springer Verlag, Berlin

59. Halicka, M., de Klerk, E., Roos, C. (2002): On the Convergence of the Central Path in Semidefinite Optimization. *SIAM Journal on Optimization* **12** (4), 1090–1099
60. Hastad, J. (2001): Some optimal inapproximability results. *Proc. of the 29th ACM Symp. on Theory Comput.* *Journal of ACM*, **48**, 798–859.
61. Helmberg, C., Rendl, F., Wolkowicz, H., Vanderbei, R.J. (1996): An interior-point method for semidefinite programming. *SIAM J. Opt.* **6** (2), 342–361
62. Hiriart-Urruty, J.-B., Lemaréchal, C. (1991): Convex Analysis and Minimization Algorithms I. Springer-Verlag, Berlin-Heidelberg-New York.
63. Horn, R.A., Johnson, C.R. (1985): Matrix Analysis. University Press, Cambridge
64. Horst, R., Pardalos, P.M., (eds.) (1995): Handbook of Global Optimization. Kluwer, Dordrecht
65. Huard, P., Liéu, B.T. (1966): La méthode des centres dans un espace topologique. *Numerische Mathematik*, **8**, 56–67
66. B. Huppert, B. (1990): Angewandte Lineare Algebra. De Gruyter Verlag
67. Jarre, F. (1992): Interior-point methods for convex programming. *Applied Math. and Opt.* **26**, 287–311
68. Jarre, F. (1994): Interior-point methods via self-concordance or relative Lipschitz condition, *Habilitationsschrift*. Universität Würzburg
69. Jarre, F. (1996): Interior-point methods for convex programs. in T. Terlaky ed.: *Interior-Point Methods of Mathematical Programming*. Kluwer, Dordrecht
70. Jarre, F., Kocvara, M., Zowe, J. (1998): Optimal Truss Design by Interior-Point Methods. *SIAM J. Opt.* **8**(4), 1084–1107
71. Jarre, F., Wechs, M. (1997): Extending Mehrotra's Corrector for Linear Programs. Report # 219, Institut für Angewandte Mathematik, Universität Würzburg, <http://www.opt.uni-duesseldorf.de/~jarre/en/report-fs.html>
72. Kantorovich, L.W., Akilow, G.P., (1964): Funktionalanalysis in normierten Räumen. Akademie-Verlag, Berlin
73. Kantorovich, L.W., (1948): Funktionalanalysis und angewandte Mathematik. *Uspechi Mathem. Nauk*, **3**, 6 (28) (russisch).
74. Karmarkar, N. (1984): A new polynomial-time algorithm for linear programming. *Combinatorica*, **4**, 373–395
75. Kelley, C.T., (1999): Detection and remediation of stagnation in the Nelder-Mead algorithm using a sufficient decrease condition. *SIAM J. Opt.*, **10**, 43–55.
76. Khachiyan, L.G. (1979): A polynomial algorithm in linear programming. *Soviet Mathematics Doklady*, **20**, 191–194
77. Klee, V., Minty, G.J. (1972): How good is the simplex algorithm? In: Shisha, O. (ed) *Inequalities*. Academic Press, New York 159–175
78. Knobloch, H.W., Kappel, F. (1974): Gewöhnliche Differentialgleichungen. Teubner Verlag, Stuttgart
79. Kocvara, M., Stingl, M. (2001) Augmented Lagrangian Method for Semidefinite Programming. Report, Institute of Applied Mathematics, University of Erlangen-Nürnberg
80. Kochler, J. R. and Owen, A. B. (1996): Computer experiments. In Ghosh, S. and Rao, C. R., editors, *Handbook of Statistics*, Volume 13, 261–308. Elsevier Science, New York

81. Kolmogorov, A.N., Fomin, S.V., (1975): Reelle Funktionen und Funktionalanalysis. VEB Deutscher Verlag der Wissenschaften, Berlin
82. Kojima, M., Mizuno, S., Yoshise, A. (1989): A primal-dual interior-point algorithm for linear programming. In: Megiddo, N. (ed) Progress in Mathematical Programming: Interior-Point and Related Methods, 29–47. Springer Verlag, New York
83. Kojima, M., Shindoh, S., Hara, S. (1997): Interior-point methods for the monotone semidefinite linear complementarity problem in symmetric matrices. SIAM J. Optim. **7** (1), 86–125
84. Lagarias, J.C., Reeds, J.A., Wright, M.H., Wright P.E. (1998): Convergence properties of the Nelder-Mead simplex method in low dimensions. SIAM J. Opt. **9** (1), 112–147
85. Leibfritz, F. (2001): A LMI-based algorithm for designing suboptimal static / output feedback controllers. SIAM J. Contr. Opt., **39** (6), 1711–1735
86. Lovasz, L., Schrijver, A. (1991): Cones of Matrices and Setfunctions, and 0-1 Optimization. SIAM J. Opt., **1** (2)
87. Lovasz, L. (1979) On the Shannon capacity of a graph. IEEE Transactions on Information Theory **25** 1–7
88. Luenberger, D.G. (1973): Introduction to linear and nonlinear programming. Addison Wesley
89. Luo, Z.-Q., Sturm, J.F., and Zhang, S. (2000): Conic convex programming and self-dual embedding. Optimization Methods and Software, **14** 169–218
90. Lustig, I.J., Marsten, R.E., Shanno, D.F. (1992): On implementing Mehrotra's predictor-corrector interior-point method for linear programming. SIAM J. Optim. **2** 435–449.
91. Lyapunov, A.M. (1949): The general problem of stability of motion. Ann. math. studies, 11. Princeton (auf Russisch: Moskau 1935)
92. Maratos, N. (1978): Exact penalty function algorithms for finite dimensional and control optimization algorithms. Ph.D. Thesis, Imperial College, London
93. Mehrotra, S. (1992). On the implementation of a primal-dual interior-point method. SIAM J. Optim., **2** 575–601
94. Monteiro, R.D.C., Zhang, Y. (1998): A unified analysis for a class of long-step primal-dual path-following interior-point algorithms for semidefinite programming. Math. Prog. Ser. A, **81** (3), 281–299
95. More, J.J., Toraldo, G. (1991): On the solution of quadratic programming problems with bound constraints. SIAM J. on Opt. **1**, 93–113
96. Nelder, J.A. and Mead, R. (1965): A simplex method for function minimization. Computer J., **7**, 308–313
97. Nesterov, Y.E. (1998): Semidefinite relaxation and nonconvex quadratic optimization. Optim. Meth. Software, **9**, 141–160
98. Nesterov, J.E., Nemirovsky A.S. (1988): A general approach to polynomial-time algorithms design for convex programming. Report, Central Economical and Mathematical Institute, USSR Acad. Sci., Moscow, Russia
99. Nesterov, J.E., Nemirovsky A.S. (1989): Self-concordant functions and polynomial-time methods in convex programming. Report CEMI, USSR Academy of Sciences, Moscow
100. Nesterov, J.E., Nemirovsky A.S. (1994): Interior Point Polynomial Methods in Convex Programming: Theory and Applications. SIAM, Philadelphia
101. Nesterov Y.E., Todd, M.J. (1997): Self-scaled barriers and interior-point methods for convex programming. Math. Oper. Res. **22** (1), 1–42

102. Nesterov, Y.E., Todd, M.J. (1998): Primal-dual interior-point methods for self-scaled cones. *SIAM J. Optim.*, **8**, 324–364
103. Nocedal, J., Wright, S.J. (1999): *Numerical Optimization*, Springer, Berlin
104. Poljak, S., Rendl, F., Wolkowicz, H. (1995): A recipe for semidefinite relaxation for (0,1)-quadratic programming. *J. of Global Opt.*, **7**, 51–73
105. Helmberg, C., Rendl, F., Wolkowicz, H., Vanderbei, R.J. (1996): An interior point method for semidefinite programming. *SIAM J. Optim.*, **6**, No. 2, pp. 342–361
106. Pietrzykowski, T. (1970): The potential method for conditional maxima in the locally compact metric spaces. *Numer. Math.*, **14**, No. 4, pp. 325–329
107. Powell, M.J.D. (1978): A fast algorithm for nonlinearly constrained optimization calculations. *Lecture Notes in Mathematics* 630, Springer-Verlag, Berlin, 144–157
108. Powell, M.J.D. (1978): The convergence of variable metric methods for nonlinearly constrained optimization calculations. In: O.L. Mangasarian, R.R. Meyer, S.M. Robinson eds, *Nonlinear Programming*, **3**. Academic Press, New York, 27–63.
109. Powell, M.J.D. (1984): The performance of two subroutines for constrained optimizaton. In: P.T. Boggs, R.T. Byrd, R.B. Schnabel, eds, *Numerical Optimization*. SIAM Publications, Philadelphia.
110. Powell, M.J.D. (1998): Direct search algorithms for optimization calculations. In: A. Iserles ed, *Acta Numerica*. Cambridge University Press, Cambridge, 287–336
111. Rockafellar, R.T. (1970): *Convex Analysis*. Princeton University Press, Princeton, N.J.
112. Roos, C., Terlaky, T., Vial, J.P. (1997): *Theory and Algorithms for Linear Optimization, An Interior Point Approach*. John Wiley & Sons, Chichester
113. Roos, C., Vial, J.P. (1992): A polynomial method of approximate centers for the linear programming problem. *Math. Prog.*, **54** 295–306
114. Sacks, J., Welch, W.J., Michell, T.J., Wynn, H.P. (1989): Design and analysis of computer experiments. *Statistical Science*, **4**, 409–435
115. Scherer, C. (1999): Lower bounds in multi-objective H_2/H_∞ problems. Proc. 38th IEEE Conf. Decision and Control, Phoenix, Arizona
116. Schittkowski, K. (1981): The nonlinear programming method of Wilson, Han, and Powell with an augmented Lagrangian type line search function, parts 1 and 2, *Numer. Math.* **38**, 83–127
117. Schittkowski, K. (1985/86): NLPQL: A Fortran subroutine for solving constrained nonlinear programming problems. *Annals of Operations Res.*, **5**, 485–500
118. Schrijver, A. (1986): *Theory of Linear and Integer Programming*. John Wiley & Sons
119. Shapiro, A., Scheinberg, K. (2000): Duality and Optimality Conditions. in H. Wolkowicz, R. Saigal, L. Vandenberghe eds, *Handbook of Semidefinite Programming: Theory, Algorithms and Applications*, Kluwer's International Series
120. Shor, N.Z. (1987): Quadratic Optimization Problems Soviet Journal of Circuits and Systems Sciences, **25** (6), 1–11
121. Sonnevend, G. (1986): An ‘analytical centre’ for polyhedrons and new classes of global algorithms for linear (smooth, convex) programming. in: *System*

- Modelling and Optimization (Budapest, 1985)*, Lecture Notes in Control and Information Sciences, **84**. Springer, Berlin, 866–875
122. Sonnevend, G., Stoer, J. (1990): Global ellipsoidal approximations and homotopy methods for solving convex analytic programs. *Appl. Math. and Opt.*, **21**, 139–165
 123. Stern, R.J., Wolkowicz, H. (1995): Indefinite trust region subproblems and nonsymmetric eigenvalue perturbations. *SIAM J Optimization* **5** (2), 286–313
 124. Stoer, J., Bulirsch, R. (1991): Numerische Mathematik 1 und 2. Springer, Berlin
 125. Stoer, J., Witzgall, C. (1970): Convexity and Optimization in Finite Dimensions. Grundlehren der Mathematischen Wissenschaften 163, Springer, Berlin
 126. Sturm, J.F. (1999): Using SeDuMi 1.02, a MATLAB toolbox for optimization over symmetric cones. *Optim. Methods Softw.* **11–12**, 625–653
 127. Todd, M.J., (1999): On search directions in interior-point methods for semidefinite programming. *Optim. Meth. Softw.* **11**, 1–46
 128. Todd, M.J., Toh, K.C., Tütüncü, R.R., (1998): On the Nesterov-Todd direction in semidefinite programming, *SIAM J. Optim.* **8**, 769–796
 129. Tuan, H.D., Apkarian, P., Nakashima, Y. (2000): A New Lagrangian Dual Global Optimization Algorithm for Solving Bilinear Matrix Inequalities. *Internat. J. of Robust and Nonlinear Contr.*, **10**, 561–578
 130. Ulbrich, M., Ulbrich, S., Vicente, L.N. (2000): A globally convergent primal-dual interior-point filter method for nonlinear programming. Preprint 00-11, Dept. of Mathematics, Univ. of Coimbra, Portugal, revised 2002
 131. Vandenberghe, L., Boyd, S. (1996): Semidefinite Programming. *SIAM Review*, **38**(1), 49–95.
 132. Vanderbei, R.J. (1997): LOQO User's Manual – Version 3.10. Report SOR 97-08, Princeton University, Princeton, NJ 08544,
 133. Vanderbei, R.J., Benson, H., Shanno, D. (2000): Interior-Point Methods for Nonconvex Nonlinear Programming: Filter Methods and Merit Functions. Report ORFE 00-06, Princeton University, Princeton, NJ 08544
 134. Webster, R. (1994): Convexity, Oxford University Press
 135. Wolkowicz, H., Saigal, R., Vandenberghe, L. eds (2000): Handbook of Semidefinite Programming, Theory, Algorithms, and Applications. Kluwer Boston
 136. Wright, S.J. (2001): On the convergence of the Newton/log-barrier method. *Math. Prog. Series A*, **90**, 71–100.
 137. Wright, S.J., Jarre, F., (1998): The role of linear objective functions in barrier methods, *Math. Prog. Series A*, **84**, 357–373 und
http://www-unix.mcs.anl.gov/~wright/papers/P485_corrections.ps
 138. Ye, Y., Todd, M.J., Mizuno, S. (1994): An $O(\sqrt{n}L)$ -iteration homogeneous and self-dual linear programming algorithm. *Mathematics of Operations Research*, **19**(1)
 139. Y.-X. Yuan (1995): On the convergence of a new trust region algorithm. *Numer. Math.* **70**, 515–539